



ELSEVIER

Clinica Chimica Acta 297 (2000) vi-viii



www.elsevier.com/locate/clinchim

Contents

Editorial

From uroscopy to molecular analysis – improving diagnostic information from urine analysis	
W.G. Guder, D. Kutter and P. Bonini (Germany, Luxembourg, Italy)	1
From uroscopy to urinalysis	
P. Voswinckel (Germany)	5
Diagnosis of diabetes mellitus at the Hospital of Venice in 1863	
G. Dall'Olio and R.M. Dorizzi (Italy)	17
Characteristics of progressive renal disease	
M. Ots, Ü. Pechter and A. Tamm (Estonia)	29
Progressive renal disease: does the quality of the proteinuria matter or only the quantity?	
D.J. Newman, H. Thakkar and H. Gallagher (UK)	43
Developments in the assessment of glomerular filtration rate	
C.P. Price and H. Finney (UK)	55
Clinical value of cystatin C determination	
M.K. Page, J. Bükki, P. Luppa and D. Neumeier (Germany)	67
Diagnostic and prognostic significance of proteinuria selectivity index in glomerular diseases	
J. Tencer, O. Bakoush and O. Torffvit (Sweden)	73
Early diagnosis of endemic nephropathy	
D. Čvorišćec (Croatia)	85
Diagnostic value of urinary alanine aminopeptidase and <i>N</i> -acetyl- β -D-glucosaminidase in comparison to α_1 -microglobulin as a marker in evaluating tubular dysfunction in glomerulonephritis patients	
B. Holdt-Lehmann, A. Lehmann, G. Korten, H.-R. Nagel, H. Nizze and P. Schuff-Werner (Germany)	93
Human neutral brush border endopeptidase EC 3.4.24.11 in urine, its isolation, characterisation and activity in renal diseases	
D. Vlaskou, W. Hofmann, W.G. Guder, P.A. Siskos and A. Dionyssiou-Asteriou (Greece, Germany)	103
Urinary macrophages as activity markers of renal injury	
O. Hotta, N. Yusa, H. Kitamura and Y. Taguma (Japan)	123



ELSEVIER

Clinica Chimica Acta 297 (2000) vi-viii



www.elsevier.com/locate/clinchim

Contents

Editorial

From uroscopy to molecular analysis – improving diagnostic information from urine analysis	
W.G. Guder, D. Kutter and P. Bonini (Germany, Luxembourg, Italy)	1
From uroscopy to urinalysis	
P. Voswinckel (Germany)	5
Diagnosis of diabetes mellitus at the Hospital of Venice in 1863	
G. Dall'Olio and R.M. Dorizzi (Italy)	17
Characteristics of progressive renal disease	
M. Ots, Ü. Pechter and A. Tamm (Estonia)	29
Progressive renal disease: does the quality of the proteinuria matter or only the quantity?	
D.J. Newman, H. Thakkar and H. Gallagher (UK)	43
Developments in the assessment of glomerular filtration rate	
C.P. Price and H. Finney (UK)	55
Clinical value of cystatin C determination	
M.K. Page, J. Bükki, P. Luppa and D. Neumeier (Germany)	67
Diagnostic and prognostic significance of proteinuria selectivity index in glomerular diseases	
J. Tencer, O. Bakoush and O. Torffvit (Sweden)	73
Early diagnosis of endemic nephropathy	
D. Čvorišćec (Croatia)	85
Diagnostic value of urinary alanine aminopeptidase and <i>N</i> -acetyl- β -D-glucosaminidase in comparison to α_1 -microglobulin as a marker in evaluating tubular dysfunction in glomerulonephritis patients	
B. Holdt-Lehmann, A. Lehmann, G. Korten, H.-R. Nagel, H. Nizze and P. Schuff-Werner (Germany)	93
Human neutral brush border endopeptidase EC 3.4.24.11 in urine, its isolation, characterisation and activity in renal diseases	
D. Vlaskou, W. Hofmann, W.G. Guder, P.A. Siskos and A. Dionyssiou-Asteriou (Greece, Germany)	103
Urinary macrophages as activity markers of renal injury	
O. Hotta, N. Yusa, H. Kitamura and Y. Taguma (Japan)	123

Molecular mechanism of diabetic nephropathy R. Lehmann and E.D. Schleicher (Germany)	135
Difference between orthostatic and march functional proteinuria by application of stress tolerance test and SDS–PAGE P.G. Korneti, V.B. Tasic, L.K. Jovanoska and B.K. Korneti (Macedonia)	145
Measurement of urinary retinol binding protein by immunonephelometry S.J. Twyman, J. Overton and D.J. Rowe (UK)	155
Determination of urinary protein fractions. A comparison with different electrophoretic methods and quantitatively determined protein concentrations A. Umbreit and G. Wiedemann (Germany)	163
Urinalysis to exclude and monitor nephrotoxicity R.G. Price (UK)	173
A review on urinary proteins in outflow disease of the upper urinary tract K. Everaert, P. Hoebeke and J. Delanghe (Belgium)	183
Urinary markers of malignancy F. Koenig, K. Jung, D. Schnorr and S.A. Loening (Germany)	191
How urine analysis reflects oxidative stress — nitrotyrosine as a potential marker M. Schwemmer, B. Fink, R. Köckerbauer and E. Bassenge (Germany)	207
Analytical interference of drugs on the fluorimetric determination of urinary catecholamines A. Tzontcheva and N. Denikova (Bulgaria)	217
Data processing of digital recordings of microscopic examination of urinary sediment J. Lakatos, T. Bodor, Z. Zidarics and J. Nagy (Hungary)	225
Standardization activities for harmonization of test results F. Dati and B. Brand (Germany)	239
The use of knowledge-based systems to improve medical knowledge about urine analysis M. Ivandic, W. Hofmann and W.G. Guder (Germany)	251
Interpreting complex urinary patterns with MDI LABLINK: a statistical evaluation A. Regeniter, W.H. Siede, A. Scholer, P. Huber, N. Frischmuth and J.U. Steiger (Switzerland, Germany)	261
External quality assessment of urine analysis in Europe. Results of a round table discussion during the Symposium 'From Uroscopy to Molecular Analysis', Seeon, Germany, September 18–20, 1999 W.G. Guder, R.C. Boisson, G. Fogazzi, R. Galimany, T. Kouri, V.N.	

Malakhov and M. Plebani (Germany, France, Italy, Spain, Finland, Russia)	275
French experience of quality assessment of quantitative urinary analysis	
R.C. Boisson, J.C. Eynard, M. Crozier and D.C. Grafmeyer (France)	285
The urine test strip of the future	
D. Kutter (Luxembourg)	297
Towards European urinalysis guidelines. Introduction of a project under European Confederation of Laboratory Medicine	
T.T. Kouri, V.A. Gant, G.B. Fogazzi, W. Hofmann, H.O. Hallander and W.G. Guder (Finland, UK, Italy, Germany, Sweden)	305
Calendar	313
Author index	315
Subject index	317
Instructions to Authors	323

